

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**




COMPACT, HIGH Q INDUCTOR FOR INTEGRATED CIRCUIT  
INV(s): J. BHATTACHARJEE et al.  
DKT. NO.: M-15260 US


1/5



*FIG. 1A*




*FIG. 1B*




*FIG. 1C*




2/5




*FIG. 1D*




*FIG. 1E*




**FIG. 1F**



**FIG. 1G**



**FIG. 1H**



4/5




FIG. 2






FIG. 3A



*FIG. 3B*



*FIG. 4*